

## NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.



**Order no.** 1.428-500.0

- Plastic container
- Accessory storage and cable hook

### Technical data

<b>EAN code</b>		4039784724198
<b>Supply voltage</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	72
<b>Vacuum</b>	<b>mbar / kPa</b>	249 / 24.9
<b>Container content</b>	<b>l</b>	27
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	71
<b>Weight without accessories</b>	<b>kg</b>	7.5
<b>Weight incl. packaging</b>	<b>kg</b>	9
<b>Dimensions (L × W × H)</b>	<b>mm</b>	420 × 420 × 525

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5 / with bend / Plastic
<b>Suction tube</b>	<b>piece(s) × mm / mm</b>	2 × 550 / 35 / Chrome-plated
<b>Filter bag</b>	<b>piece(s)</b>	1 / Paper
<b>Wet/dry floor nozzle</b>	<b>mm</b>	300 / normal
<b>Crevice nozzle</b>		■
<b>Cartridge filter</b>		PES
<b>Sturdy bumper</b>		■
<b>Protection class</b>		II
<b>Stop swivel castor</b>		■

■ Included in the scope of supply.



## Cartridge filter with float

- Suction power remains at a consistently high level.
- The float system interrupts the suction flow after reaching the maximum capacity.



## Robust metal latches

- These extremely robust latches lock more reliably.



## Robust bumper

- All-round impact protection safeguards not only the machine itself but also walls, machines and items of furniture from damage.

## ACCESSORIES FOR NT 27/1 1.428-500.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
Cartridge filter PES, suitable for NT 22/1 Ap, 27/1, 48/1	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	3	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet/dry floor nozzle, DN 35, 300 mm	4	2.899-691.0	DN 35 plastic wet/dry floor nozzle with side rollers. Brush strips and squeegees are easy to replace using a clip. Working width 300 mm.	■
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 225 mm	5	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	6	6.900-425.0	All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, DN 35, 100 mm	7	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
<b>Suction brushes</b>				
Suction brush	8	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes, metal</b>				
Suction tube set, chrome-plated, NW 35 550 mm	9	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	■
<b>Suction tubes, stainless steel</b>				
Set suction tube stainless steel NW35 55	10	2.889-192.0	Stainless steel suction tube set (2 × 0.55 m)	□
<b>Suction tubes, plastic</b>				
Suction tube set	11	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	12	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	13	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	14	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 27/1

### 1.428-500.0



		Order no.	Description	
<b>FILTER T/ NT</b>				
<b>Wet filter bag</b>				
Wet filter bag	15	6.904-171.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
<b>Fabric filter</b>				
Membrane filter, NT 27/1, NT 48/1, NT 351	16	6.906-103.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter C ID (clip to cone)</b>				
Adapter clip DN 35 on cone DN 35	17	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Adapter for NT hoses with bayonet connection 1.0	18	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply.    ☐ Available accessories.