

## NT 70/3

Powerful wet and dry vacuum cleaner with 70 l container capacity and up to three motors.



### Order no.

1.667-270.0

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available

### Technical data

|                                   |                    |                         |
|-----------------------------------|--------------------|-------------------------|
| <b>EAN code</b>                   |                    | 4039784725386           |
| <b>Supply voltage</b>             | <b>Ph / V / Hz</b> | 1 / 220 - 240 / 50 - 60 |
| <b>Air flow</b>                   | <b>l/s</b>         | 3 × 74                  |
| <b>Vacuum</b>                     | <b>mbar / kPa</b>  | 254 / 25.4              |
| <b>Container content</b>          | <b>l</b>           | 70                      |
| <b>Container material</b>         |                    | Plastic                 |
| <b>Rated input power</b>          | <b>W</b>           | max. 3600               |
| <b>Standard nominal width</b>     |                    | ID 40                   |
| <b>Cable length</b>               | <b>m</b>           | 10                      |
| <b>Sound pressure level</b>       | <b>dB(A)</b>       | 83                      |
| <b>Weight without accessories</b> | <b>kg</b>          | 27.6                    |
| <b>Dimensions (L × W × H)</b>     | <b>mm</b>          | 720 × 510 × 975         |

### Equipment

|                             |                     |                 |
|-----------------------------|---------------------|-----------------|
| <b>Suction hose</b>         | <b>m</b>            | 4 / with bend   |
| <b>Suction tube</b>         | <b>piece(s) × m</b> | 2 × 0.5 / Metal |
| <b>Wet/dry floor nozzle</b> | <b>mm</b>           | 400             |
| <b>Crevice nozzle</b>       |                     | ■               |
| <b>Cartridge filter</b>     |                     | Paper           |
| <b>Drain hose</b>           |                     | ■               |
| <b>Sturdy bumper</b>        |                     | ■               |
| <b>Push handle</b>          |                     | ■               |
| <b>Protection class</b>     |                     | II              |

■ included in the scope of supply.



## Integrated accessory storage

- Large bumper with accessory storage.



## Ergonomic push handle


- The NT 70 has an ergonomic push handle so that the machine can be pushed along.

## Integrated drain hose

- The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|  |    | Order no.   | Description   |   |
|--|----|-------------|---|---|
| <b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>                                   |    |             |   |   |
| <b>Cartridge filter paper</b>  |    |             |   |   |
| Cartridge filter, paper  | 1  | 6.907-038.0 | Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.   | ■ |
| <b>BENDS</b>   |    |             |   |   |
| <b>Bend, plastic</b>   |    |             |   |   |
| Bend, NT, DN 40, plastic, clip 2.0 at hose end, cone at accessory end                          | 2  | 2.889-171.0 | DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.   | ■ |
| Bend, NT, DN 35, plastic, clip 1.0 at hose end, cone at accessory end                          | 3  | 5.031-718.0 | DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.   | □ |
| Bend, NT, DN 35, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end | 4  | 5.031-939.0 | Electrically conductive DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.                             | □ |
| Bend, NT, DN 40, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end | 5  | 5.032-427.0 | Electrically conductive DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.                             | □ |
| <b>Bend, other</b>   |    |             |   |   |
| Bend, NT, DN 35, chrome-plated metal, cone at hose end, cone at accessory end                  | 6  | 6.900-519.0 | DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.   | □ |
| Bend, NT, DN 35, stainless steel, cone at hose end, cone at accessory end                      | 7  | 6.903-141.0 | Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.  | □ |
| Bend, NT, DN 40, chrome-plated metal, cone at hose end, cone at accessory end                  | 8  | 6.900-276.0 | DN 40 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The robust bend has a cone connection at both the hose end and the accessory end.  | □ |
| Bend, NT, DN 40, stainless steel, cone at hose end, cone at accessory end                      | 9  | 6.902-079.0 | Robust DN 40 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.  | □ |
| <b>SUCTION NOZZLES</b>   |    |             |   |   |
| <b>Floor nozzles</b>   |    |             |   |   |
| Wet/dry floor nozzle, advanced plastic, DN 40, width 360 mm                                    | 10 | 2.889-153.0 | 360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.  | ■ |
| Wet and dry floor nozzle, aluminium, DN 40   | 11 | 6.903-018.0 | All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.         | □ |
| Wet/dry floor nozzle, aluminium, DN 40   | 12 | 6.906-383.0 | All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners. | □ |
| Wet/dry floor nozzle, aluminium, DN 35   | 13 | 6.906-384.0 | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | □ |
| Wet/dry floor nozzle, advanced plastic, DN 40  | 14 | 2.889-117.0 | The wet/dry floor nozzle (DN 40) permits a quick squeegee/brush change and is suitable for wet vacuum cleaning of large areas.  | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|  |    | Order no.   | Description   |   |
|--|----|-------------|---|---|
| <b>SUCTION NOZZLES</b>                           |    |             |   |   |
| <b>Crevice nozzles</b>                           |    |             |   |   |
| Crevice nozzle, NT, DN 40, plastic, 300 mm       | 15 | 5.130-655.0 | Plastic crevice nozzle in nominal width DN 40 for Kärcher wet and dry vacuum cleaners. Especially suitable for vacuuming out areas that are difficult to reach, such as joints, crevices and corners. | ■ |
| Crevice nozzle, DN 35, plastic, 210 mm           | 16 | 2.889-130.0 | Plastic crevice nozzle.   | □ |
| Crevice nozzle, NT, DN 35, metal, 500 mm long    | 17 | 6.900-922.0 | The metal crevice nozzle (DN 35) enables vacuuming in crevices and corners. Length: 500 mm.   | □ |
| Crevice nozzle, NT, DN 40, metal, 400 mm         | 18 | 6.905-817.0 | Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.   | □ |
| <b>All-purpose brushes</b>                       |    |             |   |   |
| All-purpose brush                                | 19 | 6.903-863.0 | Natural bristles (ox hair), bristle element 120 × 45 mm.  | □ |
| <b>Car cleaning nozzles</b>                      |    |             |   |   |
| Car nozzle, DN 40, 90 mm                         | 20 | 6.900-952.0 | For retrofitting older Kärcher wet and dry vacuum cleaner models with bends in DN 40: Flat angled, convenient, plastic car cleaning nozzle with a working width of approx. 90 mm.                     | □ |
|  | 21 | 2.840-095.0 | Flat angled, convenient, plastic, DN 40 car cleaning nozzle specially designed for new Kärcher wet and dry vacuum cleaners with a clip system at the suction hose. Working width: Approx. 90 mm.      | □ |
| <b>Wide nozzles</b>                              |    |             |   |   |
| Wide nozzle                                      | 22 | 4.130-432.0 | Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.  | □ |
| <b>Rubber suction tools, nose 45°</b>            |    |             |   |   |
| Rubber suction tool, nose 45°                    | 23 | 6.902-104.0 | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.  | □ |
| NT rubber suction nozzle, bevelled at 45°, DN 40 | 24 | 6.902-105.0 | 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.  | □ |
| <b>Pipe dusting nozzles</b>                      |    |             |   |   |
| Pipe brush 35/100                                | 25 | 6.903-035.0 | Plastic, pipe diameter 100 mm   | □ |
| Pipe brush 35/200                                | 26 | 6.903-036.0 | Plastic, pipe diameter 200 mm   | □ |
| <b>Suction brushes</b>                           |    |             |   |   |
| Suction brush                                    | 27 | 6.903-862.0 | Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.  | □ |
| Suction brush, DN 32                             | 28 | 6.903-887.0 | The rotating suction brush (DN 32, plastic) with PA brush attachment measures 70 × 45 mm. Only for BV and T vacuum cleaners.  | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|   |    | Order no.   | Description   |   |
|---|----|-------------|---|---|
| <b>SUCTION TUBES</b>  |    |             |   |   |
| <b>Suction tubes, stainless steel</b>   |    |             |   |   |
| Set suction tube stainless steel NW40 55  | 29 | 2.889-194.0 | Stainless steel suction tube set (2 × 0.55 m)   | ■ |
| Suction tube, DN 35, 505 mm, stainless steel  | 30 | 6.902-154.0 | Ideal for frequent vacuuming of liquids or corrosive elements: suction tube made of high-quality stainless steel in DN 35 for wet and dry vacuum cleaners from Kärcher. Length: 505 mm. | □ |
| Suction tube  | 31 | 6.902-081.0 | Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.   | □ |
|   | 32 | 6.906-531.0 | Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.   | □ |
| <b>Suction tubes, metal</b>   |    |             |   |   |
| Suction tube  | 33 | 6.900-514.0 | Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.   | □ |
| <b>SUCTION HOSES</b>  |    |             |   |   |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b> |    |             |   |   |
| Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0  | 34 | 2.889-138.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.   | ■ |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 35 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                  | □ |
| Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0  | 36 | 2.889-139.0 | The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.  | □ |
| Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0                           | 37 | 2.889-140.0 | The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.  | □ |
| Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 38 | 2.889-141.0 | The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.   | □ |
| Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0               | 39 | 2.889-142.0 | The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.   | □ |
| Extension hose, NT, DN 40, length 2.5 m, clip 2.0, connecting adapter                               | 40 | 2.889-146.0 | The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.  | □ |
| Repair kit for suction hoses DN 40, Clip 2.0  | 41 | 2.889-150.0 | Repair kit ID 40 for the new clip system.   | □ |
| <b>Hose connection</b>  |    |             |   |   |
| Adapter, ID 32/35, with internal thread   | 42 | 6.902-077.0 | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.   | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|   |    | Order no.   | Description  |                          |
|---|----|-------------|--|--------------------------|
| <b>SUCTION HOSES</b>  |    |             |  |                          |
| <b>Hose connection</b>  |    |             |  |                          |
| Connecting adapter, ID 40, with internal thread   | 43 | 6.900-286.0 | Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.               | <input type="checkbox"/> |
| <b>Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)</b> |    |             |  |                          |
| Repair kit for suction hoses DN 40 Clip 1.0   | 44 | 2.639-873.0 | Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.             | <input type="checkbox"/> |
| Extension hose, NT, DN 40, length 2.5 m, clip 1.0, connecting adapter                             | 45 | 6.906-344.0 | The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.                      | <input type="checkbox"/> |
| Suction hose with DN_40 adapter, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0                    | 46 | 4.440-784.0 | The suction hose with sleeve in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.             | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 10 m, clip 1.0, bayonet 1.0                                       | 47 | 6.906-279.0 | The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.                         | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0  | 48 | 6.906-321.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                          | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0                                       | 49 | 6.906-635.0 | The suction hose in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.                         | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 10 m, electrically conductive, clip 1.0, bayonet 1.0              | 50 | 6.906-877.0 | The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners. | <input type="checkbox"/> |
| <b>Suction hoses with cone connection</b>   |    |             |  |                          |
| Suction hose, NT, DN 40, length 4 m, cone, bayonet 1.0  | 51 | 4.440-263.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                          | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 4 m, oil-resistant, cone, bayonet 1.0                             | 52 | 4.440-303.0 | The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.            | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 10 m, cone, bayonet 1.0   | 53 | 4.440-463.0 | The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.                         | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 10 m, electrically conductive, cone, bayonet 1.0                  | 54 | 4.440-466.0 | The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners. | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 10 m, oil-resistant, cone, bayonet 1.0                            | 55 | 4.440-612.0 | The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.                         | <input type="checkbox"/> |
| Suction hose, NT, DN 50, length 4 m, cone, bayonet 1.0  | 56 | 4.440-264.0 | The suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                          | <input type="checkbox"/> |

■ Included in the scope of supply.    □ Available accessories.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|   | Order no.      | Description   |                          |
|---|----------------|---|--------------------------|
| <b>SUCTION HOSES</b>  |                |   |                          |
| <b>Suction hoses with cone connection</b>   |                |   |                          |
| Suction hose, NT, DN 50, length 3 m, cone, bayonet 1.0  | 57 4.440-328.0 | The suction hose in nominal width DN 50 and with 3 m length is suitable for use with wet and dry vacuum cleaners.   | <input type="checkbox"/> |
| Suction hose, NT, DN 50, length 10 m, cone, bayonet 1.0                                       | 58 4.440-467.0 | The suction hose in nominal width DN 50 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  | <input type="checkbox"/> |
| Suction hose, NT, DN 50, length 4 m, oil-resistant, cone, bayonet 1.0                         | 59 4.440-613.0 | The oil-resistant suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.   | <input type="checkbox"/> |
| Suction hose, NT, DN 50, length 4 m, electrically conductive, cone, bayonet 1.0               | 60 4.440-616.0 | The electrically conductive suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.   | <input type="checkbox"/> |
| <b>FILTER BAGS</b>  |                |   |                          |
| <b>Fleece filter bags</b>   |                |   |                          |
| Fleece filter bags, 5 x , NT 65, NT 70, NT 72, NT 75  | 61 2.885-753.0 | Large, tear-resistant, triple-layer fleece filter bags for all twin-motor wet and dry vacuum cleaners from Kärcher. Certified according to dust class M, suitable for container sizes from 65 to 75 litres. | <input type="checkbox"/> |
| <b>Paper filter bags</b>  |                |   |                          |
| Paper filter bags, 5 x , NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC                    | 62 6.904-285.0 | 5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.  | <input type="checkbox"/> |
| <b>FILTER T/ NT</b>   |                |   |                          |
| <b>Coarse dirt filter for wet vacuuming</b>   |                |   |                          |
| Foam filter   | 63 2.889-083.0 | Not suitable for dry vacuuming.   | <input type="checkbox"/> |
| <b>Wet filter bag</b>   |                |   |                          |
| Wet filter bag  | 64 6.904-252.0 | Approved for dust class L, general cleaning, wet and dry, tear-resistant.   | <input type="checkbox"/> |
| <b>Plastic sacks for dust-free disposal</b>   |                |   |                          |
| Plastic bag for dust-free disposal, 10 x , NT 65, NT 70, NT 72, NT 75, NT 602, NT 700, NT 702 | 65 6.900-698.0 | PE plastic sack.  | <input type="checkbox"/> |
| <b>Fabric filter</b>  |                |   |                          |
| Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993   | 66 6.904-282.0 | Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.                               | <input type="checkbox"/> |
| <b>CONNECTING SLEEVES</b>   |                |   |                          |
| <b>Y-adapter kit</b>  |                |   |                          |
| Y-adapter kit   | 67 2.637-217.0 | Plastic distributor - suitable for NT vacuum cleaners.  | <input type="checkbox"/> |
| <b>Connection adapter C ID (clip to cone)</b>   |                |   |                          |
| Adapter clip DN 35 on cone DN 35  | 68 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.                                | <input type="checkbox"/> |
| Adapter clip DN 40 to cone DN 40  | 69 5.407-006.0 | For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.                           | <input type="checkbox"/> |
| Connection adapter C DN 35  | 70 5.407-112.0 | C 35 hose connector for DN 35 accessory, electrically conductive.   | <input type="checkbox"/> |

Available accessories.

## ACCESSORIES FOR NT 70/3

### 1.667-270.0



|  |    | Order no.   | Description   |                          |
|--|----|-------------|---|--------------------------|
| <b>CONNECTING SLEEVES</b>  |    |             |   |                          |
| <b>Reducing sleeves</b>  |    |             |   |                          |
| NT reducer from DN 40 to DN 35, electrically conductive                          | 71 | 5.407-108.0 | Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.   | <input type="checkbox"/> |
| Reducer  | 72 | 6.902-017.0 | Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.   | <input type="checkbox"/> |
| NT reduction bushing with clip system for DN 40 suction hoses on accessory DN 35 | 73 | 5.407-113.0 | Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.   | <input type="checkbox"/> |
| Reducer from ID 35 to ID 32  | 74 | 6.902-072.0 | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.  | <input type="checkbox"/> |
| <b>TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS</b>                  |    |             |   |                          |
| Professional cleaning kit NT DN 40   | 75 | 2.637-353.0 | Professional wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. The wet and dry professional cleaning kit comprises a suction hose, bend, two suction tubes, crevice nozzle and floor nozzle. | <input type="checkbox"/> |
| Car cleaning accessory kit   | 76 | 2.862-166.0 | Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.                         | <input type="checkbox"/> |
| NT accessory kit for vacuuming chips, DN 50                                      | 77 | 2.640-760.0 | The accessory kit in nominal width DN 50 makes it easier to vacuum chips with the wet and dry vacuum cleaner. The kit comprises an oil-resistant suction hose, a crevice nozzle and a rubber suction nozzle.            | <input type="checkbox"/> |
| <b>OTHER ACCESSORIES NT</b>  |    |             |   |                          |
| Cyclone preseparator CS 40 Me  | 78 | 2.863-026.0 | The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.                       | <input type="checkbox"/> |
| Adapter for NT hoses with bayonet connection 1.0                                 | 79 | 5.031-436.0 | Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.                                 | <input type="checkbox"/> |
| <b>OTHER ACCESSORIES SCRUBBER DRIERS</b>   |    |             |   |                          |
| <b>Miscellaneous</b>   |    |             |   |                          |
| Extension cable  | 80 | 6.647-022.0 | Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.   | <input type="checkbox"/> |

Available accessories.