

NT 65/2 Eco

The NT 65/2 Eco is a powerful, twin-engined wet/dry vacuum cleaner for professional applications. Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

Standard accessories:

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 360 mm
- Crevice tool
- Drain hose (oil resistant)
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Power Filter Clean
- Bumper bar
- Push handle
- Safety class II
- Caster with brake
- Maintenance -free suction fans 2 piece



Order no.: 1.325-141.0

Technical data

Air flow rate (l/s)	2 x 56
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	65
Max. intake performance (W)	max. 2760
Standard nominal width (mm)	40
Length of cord access. (m)	10
Sound pressure level (dB(A))	74
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	19
Dimensions (L x W x H) (mm)	600x480x920

Details

Description

The NT 65/2 Eco is a powerful wet/dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation.

This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated filter. The filter is cleaned efficiently by the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter lifetime.

The NT 65/2 Eco is equipped with an electronic level monitor which shuts off the suction when maximum capacity is reached during wet pick-up to prevent overflow. An oil-resistant drain hose allows easy discharge of fluids into a drain. The clip system ensures simple and quick accessory changes.

There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco highly mobile.

Application

This wet/dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e. g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working, chemical and pharmaceutical industries, in areas where a fully tested unit (safety-type vacuum) is not necessary.

Features & Benefits

- High grade rubber-insulated power cord:

Very durable, non-kinking and abrasion resistant. For tough applications and a long service life

- Housing made of impact resistant plastics:

Low weight for effortless operation

- Large flat tray for tools on motor head:

Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping

- Oil resistant drain hose standard on all machines:

Longlife hose, resistant to aggressive media, for easy emptying of the full container

- On-board holders for power cord and accessories:

Avoid soiling and damage. User has everything within easy reach.

Accessories

Adapter (tube -> nozzle)

Adapter (tube -> nozzle)

From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order no. 5.453-019.0



Adapter for electric power tools, clip on, el.

Power tool adapter C 35, el.

3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

Order no. 5.453-042.0



Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.

Order no. 5.453-048.0



Connecting sleeve for electric tool C 35, el.

Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-049.0



Adapter for electric power tools, C 35, el.

Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-050.0



NT 65/2 Eco

Adapter for electric power tools, clip on, el.

Connecting sleeve for electric tool C 35, el.

Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order no. 5.453-051.0



Connecting sleeve for electric tools C 35, el.

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order no. 5.453-052.0



Adapter for electric power tools, screwable

Adapter for electric power tools, screwable, ID 35

Plastic, adaptable from ID 26-36.

Order no. 2.639-129.0



Power tool adapter, threaded, DN 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order no. 5.453-016.0



Adapter for electric power tools, screwable, ID 35

Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.

Order no. 5.453-026.0



NT 65/2 Eco

Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.

Order no. 6.902-059.0



Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm Suitable for NT vacuum cleaners.

Order no. 6.902-095.0



All-purpose brushes

All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order no. 6.903-863.0



All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order no. 6.906-554.0



All-purpose nozzle (wet and dry), DN 40

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order no. 6.903-018.0



NT 65/2 Eco

All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order no. 6.906-383.0



All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order no. 6.906-384.0



All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order no. 6.906-513.0



Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order no. 6.900-519.0



Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order no. 6.900-276.0



NT 65/2 Eco

Bend stainless

Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order no. 6.903-141.0



Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order no. 6.902-079.0



Car cleaning nozzles

Car vacuuming tool, DN 40, 90 mm

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order no. 6.900-952.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C 35 - ID 35, el.

Connects C 35 hose for ID 35, electrically conductive.

Order no. 5.407-112.0



Adapter C40 to DN 35, el.

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

Order no. 5.407-109.0



NT 65/2 Eco

Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C 40 - ID 40, el.

Connects C 40 hose for ID 40, electrically conductive.

Order no. 5.407-111.0



Connecting sleeves

Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order no. 6.902-077.0



Adapter, DN 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order no. 6.900-286.0



Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order no. 6.902-078.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order no. 6.903-033.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order no. 6.900-385.0



Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order no. 6.900-922.0



Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order no. 6.905-817.0



Crevice tools

Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0



NT 65/2 Eco

Diaphragm filter/ fabric filter

Membrane filter/fabric filter

Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.

Order no. 6.904-282.0



Extension hoses (Clip-system)

Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order no. 6.906-344.0



Flat pleated filter (paper)

Flat pleated filter

Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.

Order no. 6.904-283.0



Flat pleated filter (PES)

Flat filters (PES)

Flat filter (PES) - BIA-(U,S,G,C) dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 72/2 Eco Tc.

Order no. 6.904-284.0



NT 65/2 Eco

Floor tools

Floor nozzle cpl. 500 mm

Aluminium, oil-proof, 500 mm, with height-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)

Order no. 4.130-413.0



HEPA filter for dust class H

HEPA surface filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.

Order no. 6.904-364.0



Miscellaneous

Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order no. 6.647-022.0



Other accessories for T and NT

Pre-separator

Complete container (80 litre) and lid (ID 61). For coarse dirt and fluids (without suction hose).

Order no. 3.864-010.0



Barrel separator

Metal, from DN 61 to 61, only for liquids.

Order no. 3.864-012.0



Other accessories for T and NT

Lid separator

For 6.902-051.0/4.070-111.0 and NT 802 I tank.

Order no. 4.063-132.0



Adapter ring for 200 l drum

Ring adapter for EURO steel drum (200 l) with lid but in connection with additional lid (separator) 4.063-132.0.

Order no. 6.902-051.0



Paper filter (2 ply)

Filter bags x5 - NT 65/2 Eco

5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.

Order no. 6.904-285.0



Pipe dusting nozzles

Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order no. 5.031-904.0



Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order no. 5.031-718.0



Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

Order no. 5.031-939.0



Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

Order no. 5.032-427.0



Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack.

Order no. 6.900-698.0



Radiator brushes

Radiator brush

Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.

Order no. 6.903-034.0



Reducer (tube -> nozzle)

Reducers from DN 40 to 35

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order no. 6.902-017.0



Reducer from DN 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order no. 6.902-072.0



Reducing sleeves

Reducer el., C 40

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order no. 5.407-108.0



Reducer C40 to C-35

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

Order no. 5.407-113.0



Repair kits

Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order no. 2.639-873.0



Repair kit ID 61

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.

Order no. 2.862-038.0



Rubber suction tools, nose 45°

Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order no. 6.902-104.0



Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order no. 6.902-105.0



Rubber tool

Rubber nozzle, ID 40

Rubber.

Order no. 4.763-057.0



NT 65/2 Eco

Set reducing / extension sleeves

Set reducing/ extension sleeves, ID 40/35, 35/32, plastic

ID 40/35, ID 35/32 (tube -> nozzle), plastic.

Order no. 2.860-117.0



Special filter bags, wet filter bags

Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant.

Order no. 6.904-252.0



Suction brushes

Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

Order no. 6.903-862.0



Suction hoses (Clip-system)

Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.

Order no. 6.906-279.0



Suction hose (clip system), C 40, 4 m

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-321.0



Suction hoses (Clip-system)

Suction hose (clip system), C 40, 4 m, oil-resistant

With bayonet and clip connection.

Order no. 6.906-714.0



Suction hose (clip system), C 40, 4m, el.

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-546.0



Suction hose (Clip-system), C 40, 16 m

With bayonet and clip connection.

Order no. 6.906-635.0



Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.

Order no. 6.906-877.0



Suction hoses complete

Suction hose, complete

4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.

Order no. 4.440-264.0



Suction hoses complete

Suction hose complete, ID 61, smooth inside

Industrial hose, PVC/elastomer with steel spiral, smooth inside.

Order no. 4.440-328.0



Suction hose, complete, DN 61, 10 m

10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.

Order no. 4.440-467.0



Suction hose complete, ID 61, 4 m, oil-resistant

Oil-resistant.

Order no. 4.440-613.0



Suction hose complete, ID 61, 10 m, oil-resistant

Oil-resistant.

Order no. 4.440-614.0



Suction hose complete, ID 61, 10 m

Industrial hose, PVC/elastomer with steel spiral, smooth inside.

Order no. 4.440-615.0



Suction hose complete, ID 61, 4 m, el.

Electrically conductive.

Order no. 4.440-616.0



NT 65/2 Eco

Suction hoses complete

Suction hose complete, DN 61, 10 m, el.

Electrically conductive.

Order no. 4.440-617.0



Suction hoses complete (Clip-system)

Suction hose, complete (clip system), C DN 40, 4 m

4 m electrically non-conductive suction hose with bend (C-DN 40) and module (4.060-474.0), bayonet at vacuum end and C 35 clip connection at accessory end.

Order no. 4.440-679.0



Suction hose, complete (clip system), C-DN 40, 4 m

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.

Order no. 4.440-678.0



Suction hose complete (Clip-system), C ID 40, 4 m, el.

With bend and module (4.060-533.0), electrically conductive.

Order no. 4.440-728.0



Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order no. 6.900-275.0



NT 65/2 Eco

Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order no. 6.900-514.0



Suction tubes stainless

Suction tube, 2 x 0.5 m, metal

Stainless steel suction tube (DN 35, 0.5 m) only suitable for NT vacuum cleaner.

Order no. 6.902-046.0



Suction tube

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order no. 6.902-081.0



Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order no. 6.906-531.0



Target group specific vacuum cleaner accessory sets

Bus kit

Accessory kit for vacuuming and cleaning buses, train compartments, etc., in combination with the recommended NT vacuum cleaner.

Order no. 2.640-560.0



NT 65/2 Eco

Tools for vacuuming smaller areas, cleaning machines

Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



Tools for vacuuming surfaces / cleaning machines

Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0



Scratcher and scraper tool DN61 metal

Scratcher and scraper tool DN 61, sheet metal, 117 mm

Order no. 6.903-360.0



UBS non-conductive media

UBS non-conductive media

For shutdown with non-conductive liquids.

Order no. 2.640-426.0



Y-piece kit

Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.

Order no. 2.637-217.0

