

## Puzzi 100 Super

Spray extraction cleaner for commercial or private use. Output appr. 10-15 m<sup>2</sup>/h. The large tank for cleaning fluid as well as the water flow rate and pressure are designed for basic cleaning of medium-sized surfaces.

### Standard accessories:

- Spray hose with integral water feed 2.5 m
- Plastic floor tool with bend and aluminium suction tube
- Hand tool
- Power cable 7 m

Order no.: 1.100-113.0



### Technical data

Max. area performance (m <sup>2</sup> /h)	25
Air flow rate (l/s)	54
Vacuum (mbar/kPa)	220/22
Spray rate (l/min)	1
Spray pressure/ram pressure (bar)	1/2.5
Tank fresh/dirt water (l)	10/9
Power rating fan (W)	1250
Power rating, pump (W)	40
Power rating brush (W)	-
Weight (kg)	10.3
Dimensions (L x W x H) (mm)	665x320x435

## Details

### Description

The fresh water tank with filter element allows long periods of operation and protects the pump from soiling. The robust, compact housing made of durable plastics makes the unit lightweight and easy to carry. Two large wheels and two castors for excellent manoeuvrability. Pushbuttons for spraying and vacuuming mode are conveniently positioned on top of the unit. Easy removable, transparent suction dome enables to check recovery performance at a glance. Service-friendly, rubber-mounted pump and fan module. The 9 litre dirt water tank is simply detachable.

---

### Application

For medium-sized areas in commercial and private applications.

---

### Features & Benefits

\* 9 litre dirt water tank:

Removable, easy to carry and to empty

\* Accessory holder on the grip (floor nozzle resp. hand nozzle):

Comfortable transportation, tidied up storage

\* Compact housing made of robust polypropylene plastic with grip:

Shock proof, unbreakable, rust proof, lightweight, easy to carry

\* Exchangeable fan protection filter:

Fan is protected from dirt damages

\* Safe, dry running oscillating piston pump:

High-performance, maintenance-free, trouble-free

\* Tested, continuous running, two-stage bypass suction fan:

High-performance revertive suction power, little residual moisture

\* Transparent suction dome:

Control of the revertive suction power

\* TÜV/GS-approval, national and international check release:

High safety and quality standard

\* Two push buttons - spraying, vacuuming:

Easy handling

\* Removable rubber-mounted pump/ fan module:

Service friendly, easy exchange, very quiet

Spray-extraction cleaners

## **Puzzi 100 Super**

---



\* Two wheels and two castors:

Easy to pull even over thresholds, very manoeuvrable

---

## Accessories

### Floor tools

#### Floor tool ID 32, 230 mm

Two-part, solid plastic coupling, aluminium tube.

Order no. 4.130-127.0



#### Floor tool, metal

Two-part, quick-action plastic coupling, aluminium tube, metal nozzle.

Order no. 4.130-394.0



### Hand tools

#### Hand tool

Order no. 4.130-116.0



#### Hand tool

For cleaning vertical louvre blinds, with plastic coupling.

Order no. 4.130-083.0



### Hard surface adapters

#### Hard-surface adapter, hand tool, ID 32, 110 mm

For hand nozzle 4.130-116.0

Order no. 4.762-219.0



## Hard surface adapters

---

### Hard-surface adapter, floor tool, ID 32, 230 mm

For floor nozzle 4.130-127.0 and 4.130-394.0.

Order no. 4.762-220.0



## Spray extraction cleaners

---

### Window cleaning kit

Window cleaning kit for large areas of windows or hard surfaces

Order no. 2.638-778.0



### Rubber lip

Rubber lip set for hard surface adapter floor tool 4.762-220.0.

Order no. 6.959-116.0



### Rubber lip

Rubber lip set for hard surface adapter hand tool 4.762-219.0.

Order no. 6.959-283.0



### Stair tool ID 32, 230mm

Two-part, solid plastic coupling, short aluminium tube.

Order no. 4.130-128.0



## Spray-extraction hoses

### Spray extraction hose

Spray extraction hose, ID 32, 2.5 m, complete with solid plastic coupling.

Order no. 6.391-410.0



### Spray extraction hose ID 32

Spray extraction hose, complete with robust quick-action plastic coupling, 4 m.

Order no. 6.391-411.0



## Stone carpet tools

### Stone carpet - hard surface nozzle

Two-part, quick-action coupling, metal wet floor nozzle with spray nozzles.

Order no. 4.130-117.0

