

Puzzi 400

Spray extraction cleaner for commercial use with connection for the power brush PW 20. For larger areas: higher basic output and higher area performance.

Standard accessories:

- Spray hose with integral water feed 4 m
- Power outlet for power brush PW 20

Order no.: 1.101-201.0



Technical data

Max. area performance (m ² /h)	60
Air flow rate (l/s)	43
Vacuum (mbar/kPa)	275/27.5
Spray rate (l/min)	3
Spray pressure/ram pressure (bar)	3/5
Tank fresh/dirt water (l)	45/18
Power rating fan (W)	1380
Power rating, pump (W)	230
Power rating brush (W)	-
Weight (kg)	35
Dimensions (L x W x H) (mm)	820x530x690

Details

Description

The fresh water tank with 45 l capacity and filter element allows long periods of operation and protects the pump from contamination. The robust, compact housing is made of durable plastics. Two large wheels and two castors for excellent manoeuvrability. Pushbuttons for spraying and extracting are located on the control panel – simple to operate. Easy removable, transparent suction dome enables to check the recovery performance at a glance.

Dirt water tank with capacity of 18 litres can easily be removed.

Application

For medium-sized and large areas in commercial and industrial applications.

Features & Benefits

* 15 m long electric cable:

Enables large working radius in big rooms without switching from one power outlet to another

* 18 litre dirt water tank:

Removable, easy to carry and to empty

* Accessory holder for the cable and floor nozzle:

Comfortable transportation, tidied up storage

* Compact housing made of robust polypropylene plastic with grip:

Shock proof, unbreakable, rust proof, lightweight, easy to carry

* Exchangeable fan protection filter:

Fan is protected from dirt damages

* National and international check release:

High safety and quality standard

* Power outlet for the PW 20 connection:

Increases the area performance of about 30-50 %

* Safe, dry running oscillating piston pump:

High-performance, maintenance-free, trouble-free

* Tested, continuous running, two-stage bypass suction fan:

High-performance revertive suction power, little residual moisture

* Transparent suction dome:

Spray-extraction cleaners

Puzzi 400



Control of the revertive suction power

* Two push buttons - spraying, vacuuming:

Easy handling

* Removable rubber-mounted pump/fan module

* Two wheels and two castors:

Easy to pull even over thresholds, very manoeuvrable

Accessories

Floor tools

Floor tool ID 38, 330 mm

3 nozzles, long version, high pressure 1-14 bar.

Order no. 4.130-061.0



Floor tool ID 38, 330 mm

3 nozzles, long version, low pressure 1-3 bar

Order no. 4.130-065.0



Hand tools

Hand tool ID 38, 110 mm

For cleaning upholstery with Puzzi 400/ E and 400 K, with water flow reducer 3.637-029.0 (except Puzzi 400 K)

Order no. 4.130-163.0



Spray extraction cleaners

Water flow reducer

Metal, for cleaning upholstery, vertical louvre blinds, walls and ceilings (not for Puzzi 400 K)

Order no. 3.637-029.0



Adapter

Adapter from ID 32 to ID 38.

Order no. 5.453-008.0



Puzzi 400

Spray extraction cleaners

Roller brush PW 20

Standard bristles for PW 20.

Order no. 6.903-544.0



Spray-extraction hoses

Spray extraction hose ID 38, 4 m

Complete, metal coupling.

Order no. 4.440-644.0

